

HELPING YOU BUILD BETTER



CONCRETE PRODUCTS

Hollowcore Load/Span Table (Non-Composite)

estimating@milbank.co.uk
01787 223931

Overall Structural Depth(mm)	Unit Depth (mm)	Self Weight	Self Weight + 1.5nN/m ² for Architectural Finishes (or other Dead load) + Imposed (Live) Load shown below								
			0.75	1.5	2.0	2.5	3.0	4.0	5.0	10.0	15.0
150	150	2.48	9.05	8.40	8.05	7.70	7.45	6.95	6.55	5.25	4.50
150	150	2.95	8.50	7.95	7.65	7.35	7.10	6.65	6.30	5.10	4.40
200	200	2.97	10.70	10.05	9.55	9.30	8.95	8.40	7.95	6.45	5.55
250	250	3.46	12.00	11.30	10.85	10.50	10.15	9.60	9.10	7.40	3