
	Milbank Concrete Products Ltd	
16		
DECLARATION OF PERFORMANCE FPC Certificate Number 0086-CPR-594274		
Milbank Concrete Products Ltd, Earls Colne, Colchester, CO6 2NS		

CONSTRUCTION PRODUCTS REGULATION

T155

- 1. Identification code: **Prestressed Beam**
- 2. Type: **T155**
- 3. Intended use: **Structural Prestressed Beams for Beam and Block floor systems**
- 4. Manufacturer: **Milbank Concrete Products Ltd UK**
- 5. Authorised representative: **Not applicable**
- 6. Assessment and verification of constancy of performance: **System 2+**
- 7. Relevant harmonised standard: **EN 15037-1:2008**
- 8. European Technical Assessment: **Not applicable**
- 9. Declared performance: {with reference to Table ZA.1 and the information quoted in the list ZA.3.1.1 and Method 3 “declaration of compliance with given design specification” (ZA.3.4)}

Essential Characteristics	Declared performance	Harmonised Standard
Concrete: Compressive strength (cube)	$f_{ck,cube} = 55\text{N/mm}^2$	EN 15037-1:2008
Prestressing Steel: Ultimate tensile strength Tensile 0.1% proof-stress	5mm wire: $f_{pk} = 1,770\text{N/mm}^2$ $f_{p0.1k} = 1,557\text{ N/mm}^2$ 9.3mm strand: $f_{pk} = 1,770\text{N/mm}^2$ $f_{p0.1k} = 1,557\text{N/mm}^2$	
For geometrical data, detailing, mechanical strength, fire resistance, acoustic insulation parameters and durability see the design specifications.	See Design drawings and specification (client’s order.)	

- 10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed on behalf of the manufacturer by: **Mr SA Carpenter**
Position: **Group HS&E Manager** Date: **1st January 2023**

Created By: S.Carpenter	Version 2	Page 1 of 1
-------------------------	-----------	-------------